


Magnetic Bells, Multi-net & Suspension Trainers







FAZ20101


KOMPAN
Let's play



Item no. FAZ20101-0900

General Product Information

Color options	     
Dimensions LxWxH	34'5"x3'6"x10'11"
Age group	13+
Play capacity (users)	10



See KOMPAN Fit app for more



The Multi Net is a great climbing structure with an integrated pull up bar, perfect for performing a broad range of own bodyweight exercises. The pull up bar and standing pole are ideal for Street Workout related exercises such as the human flag. An innovative magnetic breaking system in the Magnetic Bells allow the user to increase the resistance by increasing the

speed of movement. The patented system also functions as brake when someone drops the magnetic bells and will reduce the impact significantly. With the suspension trainer everyone can workout at their own level due to the scalable resistance. The intensity of each exercise can be determined simply by adjusting the body position to add more or less

resistance.



Magnetic Bells, Multi-net & Suspension Trainers

FAZ20101



The uniquely designed handles are made of PUR and a reinforced aluminium frame that ensures a strong but light design. The ergonomically shaped handles guarantee a good and pleasant grip for all users.



The big instruction signs are made as a sandwich construction consisting of 2 x 6mm polycarbonate sheets with clear instructions printed on the inside of the panels. This gives a vandalism proof construction.




The magnets which are used are High Strength Neodymium magnets. The magnetic radiation is under strict control, the radiation level never exceeds 5 Gauss (0.5mT), which makes them perfectly safe to use as an training item.

Item no. FAZ20101-0900	
Installation Information	
Max. fall height	9'5"
Safety surfacing area	508 ft2
Number of installers	2
Total installation time	14.4
Excavation volume	2.28 yd3
Concrete volume	1.12 yd3
Footing depth (standard)	2'11"
Shipment weight	1,755 lbs
Anchoring options	In-ground ✓ Surface ✓
Warranty Information	
Signs	10 years
Coated steel parts	10 years
PUR components	10 years
Ropes & nets	10 years
Spare parts guaranteed	10 years




The tubes on which the magnetic bells move are ø40mm, made of grade AW 6082-T6 aluminium and have an anodized layer of 20µm. The tube has a full steel core for structural integrity.



Ropes are made of UV-stabilized PA with inner steel cable reinforcement. The rope is induction treated in order to create a strong connection between steel and rope which leads to good wear resistance.



Each suspension trainer has 3 sets of handles positioned at 3 different heights, 40, 90 and 130cm. This allows people of all lengths to do the exercises and gives the user the opportunity to do over 40 different exercises.



Cradle to Gate A1-A3	Total CO ₂ emission	CO ₂ e/kg	Recycled materials
	kg CO ₂ e	kg CO ₂ e/kg	%
FAZ20101-0900	2,150.00	3.25	42.60

The overall framework applied for these factors is the Environmental Product Declaration (EPD), which quantifies "environmental information on the life cycle of a product and enable comparisons between products fulfilling the same function" (ISO, 2006). This follows the structure and applies a Life-Cycle Assessment approach to the entire Product stage from raw material through manufacturing (A1-A3))

Kompan A/S
C.F. Tietgens Boulevard 32C
DK-5220 Odense SØ
Denmark



Validation of CO₂ calculation of: Fitness



Data version no. 2021-09-27

The CO₂ calculation and data are in compliance with the principles of a carbon footprint impact according to the GHG protocol (Greenhouse Gas Protocol), Scope 3, cradle to gate related to all individual components in the product category: "Fitness" represented by item no.: FAZ10100-0900 (Scope 3 emissions include emission sources in the upstream and downstream value chain).

Date: 15. October 2021 | Valid until: 15. October 2023

Validated by:

Bente Hviid

Bente Hviid, Senior Consultant

Peter Bendtsen

Peter Bendtsen, Senior Consultant

Validation based on report: Validation of CO₂ calculation of 8 categories of Kompan product line, version 1.0, prepared by: Bureau Veritas HSE, Denmark: Bente Hviid and Peter Bendtsen.

Publication date: 15. October 2021

By Bureau Veritas HSE
www.bureauveritas.dk
+45 7731 1000




Magnetic Bells, Multi-net & Suspension Trainers


FAZ20101

* Max fall height | ** Total height | *** Safety surfacing area

* Max fall height | ** Total height



FAZ20101
* 9'-5" / 286cm
** 10'-11" / 334cm
*** 508ft² / 47.2m²



[Click to see TOP VIEW](#)

[Click to see SIDE VIEW](#)